TIMES




MAGAZINE

WINTER 2019



Are reindeer real?



HABITAT CONNECTION





FIELD JOURNAL





Left: A white-tailed deer antler was shed in a stream. Right: A large herd of elk winter together in Wyoming.

The basics of shed hunting

Did you know that members of the deer family (moose, elk and deer in Wyoming) lose their antlers each year? It is similar to you losing a tooth and growing in an adult tooth, but they grow back new antlers each and every spring. Shed antler "hunting" is a great winter and spring outdoor family activity. If you do go out looking for some shed antlers or have other adventures outdoors in the wintertime, it is important to try and give wildlife such as deer and elk lots of space. They may be nearby trying

If you do go out looking for some shed antlers or have other adventures outdoors in the wintertime, it is important to try and give wildlife such as deer and elk lots of space.

their hardest to survive the winter, and many animals like to keep their distance from people. If humans come hiking through their winter homes, they will have to spend a lot of energy running away into deeper snow. This could make it very hard for them to make it through the winter. To protect wintering big game, it is best to wait

until spring to go shed antler hunting or until wintering herds leave the area. In some places it is required that you wait until then, and the lands are closed to humans to help wildlife. Be sure and contact a game warden or Game and Fish regional office for more information if you plan to go out on an adventure looking for some antlers.

DLIFE PROFIL



Coyote (Canis latrans)

Range: Coyotes live all over the state of Wyoming as well as throughout North America.

Size: In Wyoming, adult male coyotes average 35 pounds and females are slightly smaller.

Habitat: Coyotes are found almost everywhere, from mountains and forests to deserts and plains, even cities and towns! They are very good at finding what they need to survive in many different habitats.

Young: Coyotes breed between January-March and give birth to six or seven pups about two months later. Both of the parents help care for the pups, teaching them how to hunt and survive on their

own until the fall.

Predators: Humans are a main predator of coyotes, as their soft winter pelts are valuable. Coyotes also are sometimes killed by mountain lions, bears and wolves.

Food: Coyotes are not picky. They will eat any small animal they can capture, including mice, rats, gophers, mountain beavers, rabbits, squirrels, snakes, lizards, frogs, fish and birds. They will also sometimes eat carrion, which is another name for meat from another animal that is already dead.

Did you know? Grasshoppers and other insects are important to young coyotes learning the stalk-and-pounce method of hunting.

WILDLIFE PROFILES



White-tailed jackrabbit (Lepus townsendii)

Range: The white-tailed jackrabbit is native to western and central North America, including Wyoming.

Size: The white-tailed jackrabbit is a large rabbit, weighing between 5.5 and 9.5 pounds. It is 22 to 26 inches long.

Habitat: It is mostly found in the plains and prairie areas, but can also be found in mountain meadows up to 10,000 feet in elevation.


Young: About five baby jackrabbits are born in a nest that the mother lines with her own fur. Baby white-tailed jackrabbits weigh about a quarter of a pound and are born with their eyes open. They only stay with their mother

for about four weeks before they head out on their own.

Predators: The white-tailed jackrabbit is an important prey animal for many predators including badgers, coyotes, bobcats, eagles, hawks and owls. Young are sometimes eaten by snakes.

Food: In the summer it eats grasses and other green plants and during the winter its diet includes buds, twigs and bark from bushes and plants close to the ground.

Did you know? In the winter, whitetailed jackrabbits turn white except for black tips on their ears. In the summer they are brown.



If you decide to go ice fishing alone, make sure to tell someone where you are going and when you will be back.

How to safely enjoy ice fishing

There are lots of places around Wyoming that you can ice fish in the winter. With ice conditions around the state changing each week, you should always keep safety in mind while enjoying your time in the outdoors. Bobby Compton, the Laramie region fisheries supervisor, gave you this advice to be safe while ice fishing:

 The safest way to ice fish is with another person. If you are heading out on the ice alone, tell someone where you're headed and when you plan to be back.

Make sure you are fishing on safe ice that is at least 4 inches thick. Never fish on ice that has been broken and refrozen.

- Going to a lake that has other people fishing at it too is a good idea, just in case you need help.
- Someone who is with you should bring a fully charged cell phone.
 Putting it in a plastic zipper bag will make sure it does not get wet.
- Make sure you are fishing on safe ice that is at least 4 inches thick. Never
- fish on ice that has been broken and refrozen.
- Wear a life jacket and carry ice picks in case of an emergency.
- Bring an emergency blanket and an extra set of dry clothes with you.
- Never let anyone drive a car, truck, four wheeler or snowmobile onto the ice.



An elk after recently shedding its antlers.

Horns and antlers: Know the difference

Do you know the difference between a horn and an antler? Antlers are grown and shed each year by most male deer, elk and moose. Antlers are made out of bone, and grow faster than almost any other creature's tissue. Animals with antlers grow new ones each year, beginning in the late spring. New antlers are covered in a soft furry skin called "velvet." In late summer and early fall, the antlers harden and the animal will rub off the velvet on shrubs and trees. Finally, in the late fall and early winter, the entire antler is shed off and new antlers begin to grow very soon after the old ones shed off. It doesn't hurt the animal to lose their antlers!

Unlike antlers, true horns are a bone core covered in a sheath made of keratin. Keratin is what your fingernails and hair are made of. Sheep, goats, bison and domestic cattle all have horns. Both males and females can have horns, and they do not branch out like antlers. Horns are not shed off like antlers are. Horns continue to grow the animal's entire life. Pronghorn are the exception to these rules. They have a branched keratin horn sheath over a bone core and this horn sheath is shed and replaced occasionally.

BIGHORN SHEEP HORN Bone core covered by a sheath Sheath made out of keratin Horns do not usually shed off ELK ANTLER Made out of bone Grow new antlers each year Antlers shed off in late fall to early winter ANTLER IN VELVET Made out of bone

· New antlers are covered in a

Antlers harden in late summer

· Deer rub the velvet off on trees

furry skin

and early fall

and shrubs

TEST YOUR KNOWLEDGE

DO THESE ANIMALS HAVE HORNS OR ANTLERS?







BIGHORN SHEEP



MULE DEER



MOUNTAIN GOAT



ELK



BISON




PRONGHORN

Answers:

Answers: mountain goat= horn; mule deer= antler; white-tailed deer= antler; elk= antler; bison =horn; bighorn sheep= horn; pronghorn= horn


LEARNING LINK

Books to check out



Deer, Moose, Elk & Caribou by Deborah Hodge

Did you know that less than a week after it is born a baby deer can run faster than a human? Or that in a day, a moose eats as many as 90 big salad bowls of greens? Simple straightforward text and realistic detailed illustrations explain where and how deer live, how they give birth, what they eat, anatomy and much more.



Someone Walks By by Polly Carlson-Voiles

Someone is walking through the north woods in winter. Readers can see the tracks in each detailed depiction of winter habitat, but they don't discover the mystery animal until the last pages. On the way, they see frozen wood frogs, a bear in her den with her newborn cubs, sleepy chipmunks and many other creatures surviving and even thriving in the cold, snowy winter environment.



Volume 13, No. 1

Winter 2019

Editor/writer: Ashley Andersen Leonard

Design: Justin Joiner

Additional editors and contributors: Sara DiRienzo, Bobby Compton, Grant Frost

The Wyoming Game and Fish Department receives financial assistance in Sport Fish and Wildlife Restoration. Under title VI of the 1964 Civil Rights Act, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, the U.S. Department of the Interior prohibits discrimination on the basis of race, color, national origin, age, sex, or disability. If you believe that you have been discriminated against in any program, activity, or facility as described above, or if you desire further information please write to: Department of Interior, U.S. Fish and Wildlife Service, Division of Human Resources, 4401 N. Fairfax Drive, Mail stop: 2000, Arlington, Virginia 22203